



PC1/602004/003009



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

REC'D 30 SEP 2004

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

[Handwritten signature]

Dated 21 September 2004





14JUL03 E822179-3 D01821
P01/7700 0.00-0316349.0

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference

Jg-3001

2. Patent application number

(The Patent Office will fill in this part)

0316349.0

11 JUL 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Micro Medical Ltd
P.O. Box 6
Rochester
Kent
ME1 2AZ
United Kingdom
6033 81001
United Kingdom

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

4. Title of the invention

APPARATUS FOR DETERMINING RESPIRATORY
MUSCLE ENDURANCE OF A PERSON

5. Name of your agent (if you have one)

Graham Jones & Company

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

77 Beaconsfield Road,
Blackheath
London
SE3 7LG

Patents ADP number (if you know it)

2097001✓

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form
Do not count copies of the same document

Continuation sheets of this form

Description

5

Claim(s)

Abstract

Drawing(s)

3 x 3

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

3

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date 11/07/03

12. Name and daytime telephone number of person to contact in the United Kingdom

Mr. G.H. Jones 020 8858 4039

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.*
- Write your answers in capital letters using black ink or you may type them.*
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.*
- Once you have filled in the form you must remember to sign and date it.*
- For details of the fee and ways to pay please contact the Patent Office.*

APPARATUS FOR DETERMINING
RESPIRATORY MUSCLE ENDURANCE OF A PERSON

This invention relates to apparatus for determining respiratory muscle endurance of a person.

The respiratory muscle endurance of a person is important because it determines the person's susceptibility to developing serious breathing difficulties which may lead to respiratory failure and therefore death. The person's susceptibility to developing serious breathing difficulties is especially prevalent in persons with chronic lung disease, in whom impairment of respiratory muscle function often co-exists with disease of the person's lungs or airways.

There are known different types of apparatus for determining the respiratory muscle endurance of a person. These known types of apparatus comprise a mouthpiece through which the person inspires, and load-providing means for providing a pressure against which the person inspires. The endurance is measured as the duration for which respiration can be sustained by the person against the pressure. This pressure may be increased at set time intervals according to known and pre-defined protocols. The disadvantage of the known apparatus is that the work done against the pressure load, and hence the energy expended, depends upon the pattern of breathing of the person. This pattern of breathing tends to be unrepresentative of the person's usual pattern of breathing. This is because

the imposition of the fixed pressure load by the load-providing means is something that the person is not used to. For example, the person's breathing pattern may vary if the load-producing means is a valve with an orifice which suddenly opens. Also for example, the person's breathing pattern may depend upon whether the patient makes maximum or minimum effort on inspiration. Because the pattern of breathing is unrepresentative of the person's usual pattern of breathing, interpretation of the results obtained by the known apparatus is difficult and may be inaccurate.

It is an aim of the present invention to reduce the above mentioned problem.

Accordingly, in one non-limiting embodiment of the present invention there is provided apparatus for determining respiratory muscle endurance of a person, which apparatus comprises a mouthpiece through which the person inspires, load-providing means for providing a pressure against which the person inspires, and pressure control means for controlling the pressure, the pressure control means being such that it controls the pressure in response to a breathing pattern of the person, whereby the breathing power used in the form of pressure times flow is controllable.

The apparatus of the present invention is able to be operated such that it is regulated according to the person's breathing pattern. This gives more accurate results in the determination of the respiratory muscle endurance of the person.

The apparatus may be one in which the load-providing means is a rotary valve having an orifice which is variable in size. The valve is

preferably a rotary valve. The rotary valve is preferably a servo-controlled rotary valve.

The apparatus may be one in which the pressure control means comprises an electronic processor, and in which the processor receives a first input in the form of the pressure and a second input in the form of the flow. The processor may include a display screen. The processor may additionally or alternatively include a hard copy print-out means. Usually, the processor will be a micro-processor.

Preferably, the apparatus is one in which the pressure and flow are obtainable as measurements at the mouthpiece. The pressure and flow may be obtainable as measurements at positions other than the mouthpiece if desired.

An embodiment of the invention will now be described solely by way of example and with reference to the accompanying drawings in which:

Figure 1 shows apparatus for determining respiratory muscle endurance of a person;

Figure 2 shows in block diagram form the apparatus shown in Figure 1; and

Figure 3 is a graph showing power plotted against time in order to give energy expended by a person.

Referring to Figures 1 and 2, there is shown apparatus 2 for determining respiratory muscle endurance of a person. The apparatus 2 comprises a mouthpiece 4 through which the person inspires. The apparatus 2 also comprises load-providing means 6 for providing a pressure

against which the person inspires. The apparatus further comprises pressure control means 8 for controlling the pressure. The pressure control means 8 is such that it controls the pressure in response to a breathing pattern of the person. This enables the breathing power in the form of pressure times flow to be controllable.

The pressure control means 8 comprises a valve 10 having an orifice which is variable in size. The valve 10 is a rotary valve which is servo-controlled by a motor 12. An electronic processor control circuit 14 controls operation of the motor 12. A pressure transducer 16 obtains pressure at the valve 10 and translates this pressure into electrical signals which are fed via a line 18 to the processor control circuit 14. In this way, the processor control circuit 14 is able to be fed with a first input in the form of the pressure at the valve 10.

A flow transducer senses the flow, and appropriate electrical signals are sent along line 22 as a second input for the processor control circuit 14.

As shown in Figure 2, the parts 10, 12, 14, 16, 18, 20, 22 form a controlled respiratory power transducer 24. The controlled respiratory power transducer 24 is connected to micro-processor control means 26 as shown.

The micro-processor control means 26 comprises a micro-processor circuit 28, display means 30 and a keypad 32. The micro-processor control circuit 28 is shown linked by line 34 to the processor control circuit 14. The processor control circuit 14 may be separate from or part of the micro-processor circuit 28.

Figure 1 shows the keypad 32. Figure 1 also shows the display means 30 in the form of a display screen 36 and a printer 38. The printer 38 gives a hard copy print out on paper 40.

Figure 3 shows power in watts plotted against time in minutes. Figure 3 also shows energy in the form of power times time which is equal to the area under the curve. Figure 3 also indicates endurance time and where a patient stops breathing. Figure 3 illustrates how, in one application, power is able to be progressively increased after a fixed interval of time according to a pre-defined protocol such that the total time taken for the test optimises the discriminatory function of the test for the condition of interest.

It is to be appreciated that the embodiment of the invention described above with reference to the accompanying drawings has been given by way of example only and that modifications may be effected. Thus, for example, the shape of the mouthpiece 4 may be varied from that shown.

Variable orifice valve arrangement






FIG 1

2 →



26

Microprocessor control means

28

Microprocessor circuit

Keypad

Display means

30

32

2/3

FIG 12




FIG 3

PCT/GB2004/003009

